

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version number 1

Revision: 08.05.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Ironlak Pump Action Paint Marker

Product Code(s): 1mm,3mm, 7mm, 12mm & 15mm nibs as well as 45ml & 90ml refill bottles.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation:

Marker for metal, wood, glass, plastic, rubber, cardboard and paper.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

AVT Paints.
P.O Box 977, Spring Hill
QLD 4004, AUSTRALIA
Tel: 1300 789 876 (+617 3823 5449)
Email: ironlak@avtpaints.com
Web: www.ironlak.com

Further information obtainable from:

REACH Only Representative
B-Lands Consulting
WTC, 5 Place Robert Schuman, BP 1516
38025 Grenoble, FRANCE
Tel: +33 476 295 869
Fax: +33 476 295 870
Email: europa@reach-compliance.eu
Web: www.reachteam.eu

1.4 Emergency telephone number:

UK - National Poisons Emergency: +44 870 600 6266 (24h - health professionals only).
Ireland - National Poisons Information Centre: +353 1 8379964.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

This product is not classified as hazardous according to Regulation (EC) No 1272/2008.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

This product is not classified as dangerous according to Directive 67/548/EEC or Directive 1999/45/EC.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008: Not applicable.

Hazard pictograms: Not applicable.

Signal word: Not applicable.

Hazard statements: Not applicable.

Additional information:

Safety data sheet available on request.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version number 1

Revision: 08.05.2015

Trade name: Paint Marker – Brown, Purple, White, Yellow, Red, Black, Orange, Blue, Green, Gold, Light Green, Pink, , Light Blue, Fluorescent Yellow, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Invisible UV.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components:

CAS: 57-55-6	propane-1,2-diol	Xi R36	3-<5%
EINECS: 200-338-0		Acute Tox. 4, H302; Eye Irrit. 2, H319	

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation: Move patient to fresh air, if symptoms persist consult a doctor.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents: Water with full jet.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Wear NIOSH/MSHA approved self-contained breathing apparatus and protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

6.2 Environmental precautions Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version number 1

Revision: 08.05.2015

Trade name: Paint Marker – Brown, Purple, White, Yellow, Red, Black, Orange, Blue, Green, Gold, Light Green, Pink, , Light Blue, Fluorescent Yellow, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Invisible UV.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions: None.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

57-55-6 propane-1,2-diol

WEL (Great Britain)	Long-term value: 474* 10** mg/m ³ , 150* ppm *total vapour and particulates **particulates
---------------------	--

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment

Respiratory protection: Not required under normal conditions of use.

Protection of hands: Not required under normal conditions of use.

Eye protection: Not required under normal conditions of use.

Body protection: No special measures required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Liquid.
Colour:	Various colours.

Odour:	Mild.
Odour threshold:	Not determined.

pH-value:	6.0~7.5
------------------	---------

Melting point/Melting range:	Not determined.
-------------------------------------	-----------------

Boiling point/Boiling range:	Not determined.
-------------------------------------	-----------------

Flash point:	Not determined.
---------------------	-----------------

Flammability (solid, gaseous):	Not determined.
---------------------------------------	-----------------

Ignition temperature:	Not determined.
------------------------------	-----------------

Decomposition temperature:	Not determined.
-----------------------------------	-----------------

Danger of explosion:	Product does not present an explosion hazard.
-----------------------------	---

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Oxidising properties	Not determined.
-----------------------------	-----------------

Vapour pressure:	Not determined.
-------------------------	-----------------

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version number 1

Revision: 08.05.2015

Trade name: Paint Marker – Brown, Purple, White, Yellow, Red, Black, Orange, Blue, Green, Gold, Light Green, Pink, , Light Blue, Fluorescent Yellow, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Invisible UV.

Density:	Not determined.
Relative density	0.98 – 1.13
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with Water:	Insoluble.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
VOC (EC)	50-60
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No data available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products

Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD/LC50 values:

57-55-6 propane-1,2-diol

Oral	LD50	2000 mg/kg (rat)
Dermal	LD50	20800 mg/kg (Rabbit)

Primary irritant effect:

on the skin: No irritant effect known.

on the eye: No irritating effect known.

Sensitisation: No sensitising effects known.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version number 1

Revision: 08.05.2015

Trade name: Paint Marker – Brown, Purple, White, Yellow, Red, Black, Orange, Blue, Green, Gold, Light Green, Pink, , Light Blue, Fluorescent Yellow, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Invisible UV.

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation:** Do not allow product to reach sewage system.**Uncleaned packaging****Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN Number**

ADR, ADN, IMDG, IATA Not applicable.

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Not applicable.

14.3 Transport hazard class(es)ADR, ADN, IMDG, IATA
Class Not applicable.**14.4 Packing group**

ADR, IMDG, IATA Not applicable.

14.5 Environmental hazards**Marine pollutant:** No**14.6 Special precautions for user** Not applicable.**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

R36 Irritating to eyes.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version number 1

Revision: 08.05.2015

Trade name: Paint Marker – Brown, Purple, White, Yellow, Red, Black, Orange, Blue, Green, Gold, Light Green, Pink, , Light Blue, Fluorescent Yellow, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Invisible UV.

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2